

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61K 38/00, 38/17, 9/14, A61F 13/00	A1	(11) International Publication Number: WO 96/39159 (43) International Publication Date: 12 December 1996 (12.12.96)
(21) International Application Number: PCT/US96/07248 (22) International Filing Date: 20 May 1996 (20.05.96) (30) Priority Data: 08/467,578 6 June 1995 (06.06.95) US (71) Applicant: REGEN BIOLOGICS, INC. [US/US]; Suite 200, 2730 Sand Hill Road, Menlo Park, CA 94025 (US). (72) Inventor: LI, Shu-Tung; 1 Kiowa Terrace, Oakland, NJ 07436 (US). (74) Agent: TSAO, Y., Rocky; Fish & Richardson P.C., 225 Franklin Street, Boston, MA 02110 (US).		(81) Designated States: AU, CA, JP, European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i>
(54) Title: COLLAGEN-BASED DELIVERY MATRIX (57) Abstract A collagen-based delivery matrix including collagen particles, wherein each of the particles has a diameter between 5 μm and 850 μm and, when suspended in an aqueous solution at a pH of about 7.0, has a net charge density between -20 moles/mole collagen and -500 moles/mole collagen, or between +20 moles/mole collagen and +250 moles/mole collagen. Also disclosed are methods of preparing and using such a delivery matrix.		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Larvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

- 1 -

COLLAGEN-BASED DELIVERY MATRIX

Background of the Invention

This invention relates generally to the delivery
5 of therapeutic agents.

In general, a water soluble bioactive agent can be incorporated into a water soluble/swellable collagen delivery matrix with ease. This can be achieved by mixing the water soluble bioactive agent with a collagen
10 preparation, co-precipitating the agent with collagen, entrapping the agent into a collagen matrix, or entangling the agent with collagen fibers. Because of the versatility of collagen as a delivery vehicle, particularly fiber-forming collagens such as type I
15 collagen, many biologically active agents including live cells can be incorporated into the collagen matrix in a controllable manner.

Despite the useful properties of collagen for delivery applications, methods for more effectively and
20 more efficiently delivering bioactive agents using insoluble collagen particle matrices remain to be developed.

Summary of the Invention

An aspect of the present invention relates to a
25 collagen-based delivery matrix. The matrix includes collagen particles (e.g., prepared from type I collagen), each of which has a diameter between 5 μm and 850 μm (preferably, between 15 μm and 600 μm) and, when suspended in an aqueous solution at a pH of about 7.0
30 (i.e., pH 6.5-7.8), has a net negative charge density between -20 moles/mole collagen and -500 moles/mole collagen (preferably, -40 moles/mole collagen to -400 moles/mole collagen; and more preferably, -100 moles/mole collagen to -300 moles/mole collagen) or

- 2 -

a net positive charge density between +20 moles/mole collagen and +250 moles/mole collagen (preferably, +50 moles/mole collagen to +200 moles/mole collagen; and more preferably, +100 moles/mole collagen to
5 +160 moles/mole collagen). The diameter of a collagen particle recited in this disclosure refers to the greatest dimension of the particle after it has been air dried, freeze dried, or vacuum dried (i.e., under the conditions set forth in Example 1, Preparation of
10 Collagen Particles, E. and F., below or equivalents thereof). Also note that the charge density value of a collagen particle recited herein is an averaged number calculated based on a formula set forth in Example 1, Alteration of Net Charge Density to -40~-70 moles/mole,
15 below.

Another aspect of this invention relates to a method of preparing collagen particles for a collagen delivery matrix. The method includes the steps of first fragmenting (e.g., via grinding or cutting) a collagen
20 preparation (e.g., pure or substantially pure collagen, e.g., $\geq 90\%$ weight of collagen per dry weight of purified material as indicated by a hydroxyproline content analysis of the purified collagen material) to form collagen particles; and next chemically modifying the
25 particles (e.g., deamidation, acetylation, succinylation, deguanidination, methylation, or a combination thereof) so that each of the particles, when suspended in an aqueous solution at a pH of about 7.0 (i.e., pH 6.5-7.8), has a net charge density between -20 moles/mole collagen
30 and -500 moles/mole collagen or between +20 moles/mole collagen and +250 moles/mole collagen. It is desirable that either before or after the modifying step only particles which have diameters between 5 μm and 850 μm (preferably, between 15 μm and 600 μm) be selected, e.g.,
35 via sieving.

- 3 -

Also within the scope of this invention is a method of using collagen particles each of which has a diameter between 5 μm and 850 μm (preferably, between 15 μm and 600 μm) and, when suspended in an aqueous solution at a pH of about 7.0 (i.e., pH 6.5-7.8), has a net charge density between -20 moles/mole collagen and -500 moles/mole collagen or between +20 moles/mole collagen and +250 moles/mole collagen. The method includes the step of mixing three components, i.e., a bioactive agent, an aqueous solution, and the just-mentioned collagen particles, to form a paste-like material. While it is preferred that the solution have a pH of about 7.0, a higher or lower pH may be used under certain circumstances. In general, any two of the three components can be mixed first before adding the third component. Alternatively, all three components can be blended together at the same time. The paste-like material can be further processed (e.g., fabrication into a proper matrix form), if necessary, before being delivered into or onto a subject (i.e., a mammal, such as a human patient) to be treated with the bioactive agent. The delivery can be effected either with a syringe, a cannula, or a catheter; or by surgical implantation.

The bioactive agents which can be administered to a subject using the collagen-based delivery matrix described above include, but are not limited to, growth factors (such as transforming growth factor- β , epidermal growth factor, insulin-like growth factor, platelet derived growth factor, fibroblast growth factor, and bone morphogenetic protein), prostaglandin, thrombin, macromolecules (e.g., cell adhesive proteins such as laminin, fibronectin and chondronectin, polysaccharide such as glycosaminoglycan, glycoprotein, and collagens such as type I collagen through type XIV collagen), live cells, allogeneic bone chips, autogenous bone chips,

- 4 -

tricalcium phosphate, hydroxyapatite, calcium carbonate, and bioglass.

The collagen particle matrix of this invention has a high capacity of absorbing a bioactive agent-containing aqueous solution as measured by a method described in Example 1, last paragraph, below.

Other features or advantages of the present invention will be apparent from the following detailed description of several embodiments, and also from the appending claims.

Detailed Description of the Invention

The collagen particle delivery matrix in accordance with the present invention is comprised of highly hydrophilic, insoluble collagen particulates with diameters between 5 μm and 850 μm , and of a net charge density in the range of from -20 moles/mole collagen to -500 moles/mole collagen or from +20 moles/mole collagen to +250 moles/mole collagen when suspended in an aqueous solution at a pH value of about 7.0 (i.e., 6.5-7.8).

As an example, the collagen-based delivery matrix of this invention can be prepared from the native type I collagen. The type I collagen molecule has about 250 positively charged groups (ϵ -amino groups of lysines and hydroxylysines each having a pK of greater than pH 9, and guanidino groups of arginines having a pK of greater than pH 12), and about 250 negatively charged groups (β -carboxyl groups of aspartic acids and γ -carboxyl groups of glutamic acids, each having a pK of less than pH 5). As a result, at a pH of about 7.0 (i.e., 6.5-7.8) the collagen molecule is electrically neutral and as a result, its particles do not form an effective cohesive matrix.

To obtain a collagen-based delivery matrix with collagen particles each having a desirable net negative

- 5 -

charge density at a pH of about 7.0 (i.e., 6.5-7.8), the ϵ -amino groups of lysines and hydroxylysines of the collagen particles can be subjected to chemical modification reactions, such as acetylation with acetic anhydride to convert the positively charged ϵ -amino groups to neutral acetyl groups. Since there are about 100 ϵ -amino groups per type I collagen molecule, the net charge density of a fully acetylated collagen becomes -100 moles/mole collagen at a pH of about 7.0 (i.e., 6.5-7.8), and the collagen becomes more hydrophilic and absorbs more water (swells) as a result of the repulsive electrostatic interactions of the negatively charged carboxyl groups. To increase the degree of hydrophilicity (swelling capability) further, the ϵ -amino groups of lysines and hydroxylysines can be converted into carboxyl groups (charge reversion) by succinylation using succinic anhydride. The net charge density of a fully succinylated collagen therefore is about -200 moles/mole collagen. An even higher degree of hydrophilicity (or net charge density) of collagen can be obtained by sequential chemical modifications, e.g., by first converting all the guanidino groups of arginines in collagen to amino groups (converting arginine into ornithine) by a deguanidination reaction in the presence of hypobromite in alkaline conditions, followed by succinylation using succinic anhydride. The net charge density resulting from these sequential modifications is about -500 moles/mole collagen at a pH of about 7.0 (i.e., 6.5-7.8).

Collagen particles with a net positive charge density can also be made by modifying the carboxyl groups such as via an esterification reaction with methyl alcohol to convert the carboxyl groups to methyl ester groups. A completely methylated collagen has a net charge density of about +250 moles/mole collagen. Like

- 6 -

the negatively charged collagen, the positively charged collagen has a higher degree of hydrophilicity and swells at a pH of about 7.0 (i.e., 6.5-7.8) due to repulsive charge interactions between the amino and guanidino
5 groups of lysines, hydroxylysines and arginines.

If necessary, a polyanionic polymer such as alginic acid or polyglutamic acid may be covalently bound to the collagen particles using a crosslinking agent such as carbodiimide, forming amide bonds between the carboxyl
10 groups of the polyanionic polymer and the amino groups of the collagen. By doing so, the net charge density of the collagen particles increases as a result of the increase of the average number of carboxyl groups per collagen molecule. It must be pointed out that incorporation of
15 polyanionic polymer into the collagen matrix depends on the diameter of the polymer, and thus the diffusion rate of the polymer into the collagen matrix for effective coupling between the polymer and the collagen. Ineffective coupling will result in surface coupling
20 which does not create significant matrix swelling. More effective incorporation may be achieved by performing the coupling reaction under matrix swelling conditions to facilitate polymer diffusion into the interior space of the collagen matrix such as at a pH of less than 4 or
25 above 11.

Furthermore, a polycationic polymers such as polylysine, chitosan and the like may be covalently coupled with a collagen matrix, using carbodiimide as a crosslinking agent such that the amino groups of the
30 polycations are linked to the carboxyl groups in the collagen. By doing so, the net charge density of the collagen particles increases with the increase of the average number of amino groups per collagen molecule.

To deliver a peptide or protein having a net
35 positive charge, the collagen delivery matrix with a net

- 7 -

negative charge is more desirable. The delivery matrix serves to bind the bioactive peptide or protein by electrostatic interactions, in addition to mechanical interactions such as entanglement and entrapment. On the other hand, to deliver a peptide or protein having a net negative charge, the delivery matrix with a net positive charge is more desirable. Further, depending on the diameter of the bioactive agent to be delivered, the extent of repulsive interactions (swelling) of the collagen molecules within the matrix can be controlled such that the optimal delivery condition of the matrix can be obtained to maximize the efficacy of the particular bioactive agent of interest. It is often desirable to first encapsulate the bioactive agent in a form of liposomes, microcapsules or impregnated into synthetic polymers by methods well known in the art as an additional means to control the rate of release of certain bioactive agents. In this particular case, the bioactive agent-containing liposomes, microcapsules or synthetic polymers may first be dispersed in an aqueous solution which is then mixed with the collagen delivery matrix to form a paste-like matrix for delivery.

When the bioactive agent to be delivered is an insoluble material such as bone chips or particles, bioglass or hydroxyapatite particles, these materials can be incorporated into the collagen particle delivery matrix by the cohesive mechanical forces exerted on these bioactive materials from the delivery matrix at a pH of about 7.0 (i.e., 6.5-7.8).

The particle diameter of the delivery matrix of the present invention is important. Dry collagen particles with diameters greater than 850 μm are generally ineffective in forming a cohesive paste-like matrix and, therefore, in their delivery capability. This is due to the reduction of surface areas of the

- 8 -

large particles where inter-particle interactions are reduced. On the other hand, if the particle diameters are too small, for example less than 5 μm , the particles may be phagocytosed by the inflammatory cells *in vivo* or
5 migrate out from the delivery site, thereby minimizing the residence time of the delivery matrix *in situ* and leading to a quick dissipation of the associated bioactive agents. For example, collagen particles greater than 850 μm tend to form a sand-like
10 characteristics when hydrated, rather than form a cohesive paste-like substance.

The bioactive agent-containing collagen matrix can be delivered to the particular tissue or organ site by direct implantation, by use of a syringe, a cannula, or a
15 catheter via percutaneous approach, or by an arthroscopically assisted surgery approach such that the paste-like material is delivered and conformed to the tissue or organ site of interest.

As an example, when type I collagen is used to
20 prepare the delivery matrix of this invention, it can be obtained from any type I collagen-rich tissues, either from humans or animals. These tissues include, but are not limited to, skin, bone, tendon, and ligament. Animal tissues are preferred due to the ease of obtaining fresh
25 tissues in large quantities under controlled conditions. The following procedures may be followed to prepare the type I collagen particle delivery matrix from tendon:

Tendon is first cleaned of fascia and extraneous tissues and minced. The minced tendon is extracted in a
30 1 M NaCl, pH 7.0 to remove a small portion of the collagen molecules that are newly synthesized and have not yet been incorporated into the stable fibrils, as well as glycoproteins and proteoglycans that are associated with collagen through non-covalent

- 9 -

interactions. Other salts such as potassium chloride and the like can be used as a substitute for sodium chloride.

Lipids that are associated with the cell membranes or collagenous tissues are removed by first extracting
5 with detergents such as Triton X-100 (Sigma Chemical Co., St. Louis, Mo.), followed by extracting with ether-ethanol mixtures. The concentration of Triton X-100 is usually about 2% to 4%, but is preferably about 3%. The preferred mixture of ether-ethanol is usually at about a
10 1:1 ratio (v/v). The period of extraction is usually from about 8 hours to about 96 hours, but is preferred from about 24 to 48 hours.

Further purification may be accomplished by extracting the tendon under acidic and basic conditions.
15 Both acidic and basic extractions weaken the non-covalent intermolecular interactions, thus facilitating the release of non-covalently attached glycoproteins, glycosaminoglycans ("GAGs"), and other non-collagenous molecules.

20 The extraction of tendon under an alkaline condition is accomplished by treating the tendon with $\text{Ca}(\text{OH})_2$, NaOH , or the like, at a pH between 12 to 13 for a period of 8 to 96 hours in the presence of a structure stabilizing salt such as $(\text{NH}_4)_2\text{SO}_4$, Na_2SO_4 and the like to
25 minimize the potential risk of denaturing the collagen. Alkali treatment dissociates the non-crosslinked glycoproteins and GAGs from the collagen matrices, and also removes the residual lipid through saponification.

The acid extraction may be conducted at a pH below
30 3 in the presence of a structure stabilizing salt. Acids such as acetic acid, hydrochloric acid, or the like may be used. Like the alkaline extraction, the acid extraction removes non-crosslinked glycoproteins and GAGs.

- 10 -

The non-triple helical portions of the collagen molecule (telopeptides) are involved in intermolecular crosslinking formation. They are weak antigens and are susceptible to attack by proteases, such as pepsin, 5 trypsin, and the like. Prolonged digestion with such proteases dissociates the fibrils into individual molecules. However, if the digestion process is properly controlled such that maximal telopeptides are removed without complete dissociation, the immunogenicity of the 10 fibrils may be further reduced without significantly compromising the mechanical strength. For example, to isolate collagen monomers (unsuitable for use in a delivery matrix), the digestion of skin or tendon with pepsin is usually conducted at an enzyme:collagen ratio 15 of about 1:10 (w/w) for about 24-96 hours below room temperature. On the other hand, collagen fibrils, which are suitable for use in a delivery matrix, can be obtained by limited pepsin digestion achieved at a ratio of about 1:200 (enzyme:collagen w/w) for about 10-48 20 hours at 4°C.

In an embodiment, the purified collagen is further processed to produce particle of appropriate diameters before any chemical modifications. For example, the purified collagen fibers are first air or vacuum dried 25 and then subjected to cutting or grinding and sieving procedures to produce particles with diameters between 5 μm and 850 μm . Any commercial grinding machine may be used for this purpose. The grinding or cutting of fiber-based collagen materials, such as those prepared from 30 tendon or skin, produces irregularly shaped fibrous particles of various diameters, which are then subjected to a size separation procedure to obtain particles of predetermined diameters. Commercial sieves of various mesh sizes are suitable for this size separation 35 procedure.

- 11 -

Illustrative examples of chemical modifications which can be used to alter the net charge density of collagen particles are listed in the table below:

5	Charge	Net Density [†]
	<u>Chemical Modification</u> <u>(moles/mole)</u>	
10	Deamidation ^a	- 70
	Acetylation ^b	-100
	Succinylation ^c	-200
	Deguanidination ^d + Acetylation ^b	-250
	Deguanidination ^d + Succinylation ^c	-500
15	Methylation ^e	+250
	Methylation ^e + Acetylation ^b	+150

[†] The values listed were measured at pH 7.4 and represent the maximal values which can be obtained by the modification(s) with dry

20 collagen particles having diameters between 5 μ m and 850 μ m.

^a Bowes, et al., Biochem. J. 43:365-372, 1948.

^b Green, et al., Biochem. J. 54:181-187, 1953.

^c Gustavson, Arkiv for Kemi 17:541-550, 1961.

^d Bose et al., Archives of Biochem. and Biophys. 74:46, 1958.

25 ^e Fraenkel-Conrat, et al., J. Biol. Chem. 161:259-268, 1945.

Without further elaboration, it is believed that one skilled in the art can, based on the description herein, utilize the present invention to its fullest
30 extent. The following specific embodiments are, therefore, to be construed as merely illustrative, and not limitative of the remainder of the disclosure in any way whatsoever. All publications cited herein are hereby incorporated by reference.

- 12 -

Example 1

Preparation of Collagen Particles

A. Mechanical Disintegration

Bovine Achilles tendon was obtained from a USDA-
5 approved slaughter house. The tissue was kept cold
during the purification process except where specified to
minimize bacteria contamination and tissue degradation.

The adhering tissues of carefully selected tendons
were first scrapped off mechanically. The tendons were
10 cut into fine pieces and washed in excess quantities (10
volumes) of cold water to remove residual blood proteins
and water soluble materials.

B. Salt Extraction

The washed tendons were extracted in ten volumes
15 of 5% NaCl, 0.1 M phosphate buffer, pH 7.4 for 24 hours
to remove salt soluble materials. The salt extracted
tendons were repeatedly washed in about 10 volumes of
water to remove the salt.

C. Lipid Extraction

20 The material was extracted in 3% Triton X-100 for
24 hours. The detergent was removed by extensive washing
with water. The material was then extracted in 3-4
volumes of ether-ethanol (1:1 vol/vol) for 24 (\pm 2) hours
to further minimize the lipid content. The lipid
25 extracted material was extensively washed in water to
remove the ether and ethanol.

D. Acid and Base Extraction

The material was subjected to acid and base
extractions to remove non-collagenous materials. Base
30 extraction was conducted with 3-4 volumes of 0.1 M NaOH
at room temperature in the presence of 1.0 M Na_2SO_4 for 24
(\pm 2) hours with mild agitation. Following base
extraction, the pH was neutralized with 0.1 M HCl. The
pH was then adjusted to 2.5 by adding concentrated lactic
35 acid to a final concentration of 0.2 M. The acid

- 13 -

extraction was continued for 24 (\pm 2) hours with agitation. The acid extracted collagen fibers were extensively washed with distilled water.

E. Coacervation

5 The partially swollen fibrillar material was then coacervated by adjusting the pH to its isoelectric point between pH 6.5 to 7.0 with 0.1 M NaOH. The coacervated collagen fibers were harvested by filtration, and the filtered material was extensively washed with cold
10 distilled water. The highly purified collagen (type I collagen) was freeze dried (first at -10°C , $<200\text{ }\mu\text{m Hg}$ vacuum for 24 hours, and then at 20°C , $<200\text{ }\mu\text{m Hg}$ vacuum for 24 hours) and stored at room temperature as dry fibers.

15 F. Grinding and Sieving

 The purified collagen fiber material was first vacuum dried (at 20°C , $<200\text{ }\mu\text{m Hg}$ vacuum for 24 hours) to remove the absorbed moisture during storage and then ground in a Thomas Wiley Mill (Thomas Scientific,
20 Swedesboro, NJ). The ground collagen particles were sieved between mesh size 40 ($450\text{ }\mu\text{m}$) and mesh size 400 ($40\text{ }\mu\text{m}$) to collect the particles with diameters between $40\text{--}450\text{ }\mu\text{m}$.

Alteration of Net Charge Density to $-40\text{--}70$ moles/mole

25 Ten grams of collagen particles thus obtained were deamidated in 1.1 M NaOH solution in the presence of 1.0 M Na_2SO_4 as a triple helical stabilizing salt for 24 hours at room temperature under constant agitation. The deamidated collagen fibers were extensively washed with
30 deionized water pre-adjusted to about pH 5 to minimize the swelling. The deamidated, washed collagen fibers were collected and air dried.

 The method for determining the net charge (Z) is based on applying the condition of electrical neutrality
35 to both the charged protein molecules and to the

- 14 -

intermolecular solvent. The net charge is calculated based on the following equation: $Z = \Gamma_{Cl} - \Gamma_{Na}$, where Γ represents the excess of sodium or chloride ions in the intermolecular space (per collagen molecule) over the amount which would have been present if collagen had no polar residues. A typical Γ is determined as follows.

A one-gram sample of vacuum dried collagen particles is equilibrated with an excess amount of 0.16 M NaCl solution in the presence of radioactive sodium (^{22}Na) or chloride (^{36}Cl) for 24 hours at room temperature with shaking. A weighed aliquot of the supernatant is then taken to determine the moles of radioactivity per ml of solution. The wet collagen sample is then weighed into a polypropylene test tube, and the radioactivity is extracted for 24 hours with traceless solution. This solution is then assayed for radioactivity. Beta radiation is assayed using a liquid scintillation counter and gamma radiation is assayed using a gamma spectrometer. The weight of collagen is obtained by drying the reacted collagen sample over P_2O_5 for 72 hours. A Γ is calculated according to the following formula.

$$\Gamma \text{ (moles/mole)} = [m^*/C^* - g_t/\rho]C \times M_c \times 10^{-3}/g_c$$

where g_c and g_t are the weights of collagen and solution, respectively, in the sample analyzed; m^* is the amount of ^{22}Na or ^{36}Cl present; C^* and C represent the molal concentration of the ^{22}Na and Na^+ or ^{36}Cl and Cl^- in the reaction solution at equilibrium, M_c is the molecular weight of collagen, and ρ is the density of the equilibrating solution.

The net charge of the deamidated collagen particles from various batches, determined by the above method, was found to range between -40 moles/mole to -70 moles/mole.

- 15 -

The average isoelectric point of the collagen particles was determined as follows: One gram of collagen sample was uniformly dispersed and homogenized in a 100 ml of 0.07 M lactic acid solution, pH 2.5. A
5 0.5% NH_4OH solution was slowly added to the dispersed collagen. The pH of the collagen dispersion was continuously monitored until a full separation of the phase occurred. The pH of the solution at full phase separation was taken as the estimated value of the
10 average isoelectric point of the collagen preparation. The isoelectric point for the deamidated collagen particles from various batches was found to be in the range of from about pH 4.4 to about 5.0.

A one-gram sample of the vacuum dried collagen
15 particles was weighed into a test tube, to which a phosphate buffered saline solution, pH 7.4 was slowly added. The test tube was reverted after each 0.25 ml of the solution was added. The saturation point was reached when the maximum amount of the solution was absorbed into
20 the sample without a clear phase separation between the collagen particles and the solution when the test tube was reverted. The maximum volume of the solution absorbed without a phase separation was taken as the absorption capacity of the collagen delivery matrix, in
25 units of gram solution per gram of dry collagen. The sample was found to have a solution absorption capacity of about 10 g solution per gram collagen.

- 16 -

Example 2**Preparation of Collagen Particles**

Collagen particles were prepared in a manner identical to that described in Example 1 above.

5 Alteration of Net Charge Density to -40~-100 moles/mole

Ten grams of collagen particles thus obtained were incubated in a 200 ml of half saturated sodium acetate, pH 8 at room temperature for 2-4 hours. 20 ml of acetic anhydride was slowly added in 4 to 8 hours to the sodium
10 acetate solution containing the collagen particles while the pH of the solution was maintained at about 8 by adjusting with 1 M NaOH. The acetylated collagen particles were then extensively washed with deionized, distilled water and air dried until use.

15 The net charge of the acetylated collagen particles from various batches was determined by the same method described in Example 1 above, and found to range between -40 moles/mole to -100 moles/mole.

Example 3**20 Preparation of Collagen Particles**

Collagen particles were prepared in a manner identical to that described in Example 1 above.

Alteration of Net Charge Density to -100~-200 moles/mole

Ten grams of collagen particles thus obtained were
25 incubated in 200 ml of 3% sodium bicarbonate solution overnight at room temperature. A quantity of 5 grams of finely powered succinic anhydride was added gradually over a period of 4 to 8 hours with agitation. The system was held in the pH range 8-8.5 by gradual addition of 1 M
30 NaOH. The stirring was continued for a further 4 to 8 hours. The succinylated collagen was then extensively washed in deionized, distilled water, air dried, and stored until use.

- 17 -

The net charge of the succinylated collagen particles from various batches was determined by the same method described in Example 1 above, and found to range between -100 moles/mole to -200 moles/mole.

Example 4

Preparation of Collagen Particles

Collagen particles were prepared in a manner identical to that described in Example 1 above.

Alteration of Net Charge Density to +40~+250 moles/mole

10 Ten grams of collagen particles thus obtained were incubated in 500 ml of methyl alcohol in the presence of 0.1 N HCl, at room temperature for 24 hours. The methylated collagen was rinsed in several changes of methanol and air dried.

15 The net charge of the methylated collagen particles from various batches was determined by the same method described in Example 1 above, and found to range between +40 moles/mole to +250 moles/mole.

Example 5

20 Delivery of Bone Morphogenetic Protein

2,000 μ g of bone morphogenetic protein ("BMP") were first uniformly mixed in 1 ml of a neutral saline solution. One gram of the collagen particles from Example 1 was then mixed with the BMP solution (dissolved in 1 ml of distilled water). An additional 1 ml of the saline solution was slowly added to the mixture to obtain a paste-like material.

The BMP-containing paste-like material was administered to adult Beagle dogs according to the following procedures: The lumbar spine sites were prepped and draped according to standard surgical procedures to expose the spinous processes, dorsal vertebral laminae and adjacent facets. The surfaces of

- 18 -

the spinous processes, dorsal laminae and facets were decorticated with a high speed burr to expose fresh bleeding bone. The thoroughly mixed paste-like matrices were inserted into decorticated laminae sites to promote spine fusion.

Other Embodiments

From the above description, one skilled in the art can easily ascertain the essential characteristics of the present invention, and without departing from the spirit and scope thereof, can make various changes and modifications of the invention to adapt it to various usages and conditions. Thus, other embodiments are also within the claims.

For example, collagen particles with a very high net charge density (e.g., -1,000 or +1,000 moles/mole) can be obtained using a polyanionic or polycationic polymer in manners described above under the subheading Detailed Description of the Invention. Such particles, their manufacture, and their use are also within the scope of this invention under the doctrine of equivalents.

- 19 -

What is claimed is:

1. A collagen-based delivery matrix comprising collagen particles, wherein each of the particles has a diameter between 5 μm and 850 μm , and, when suspended in
5 an aqueous solution at a pH of about 7.0, has a net charge density between -20 moles/mole collagen and -500 moles/mole collagen.
2. The collagen delivery matrix of claim 1,
wherein each of the particles has a diameter between 15
10 μm and 600 μm .
3. The collagen delivery matrix of claim 1,
wherein each of the particles has a net charge density between -40 moles/mole collagen and -400 moles/mole collagen.
- 15 4. The collagen delivery matrix of claim 3,
wherein each of the particles has a net charge density between -100 moles/mole collagen and -300 moles/mole collagen.
5. The collagen delivery matrix of claim 2,
20 wherein each of the particles has a net charge density between -40 moles/mole collagen and -400 moles/mole collagen.
6. The collagen delivery matrix of claim 5,
wherein each of the particles has a net charge density
25 between -100 moles/mole collagen and -300 moles/mole collagen.

- 20 -

7. A collagen-based delivery matrix comprising collagen particles, wherein each of the particles has a diameter between 5 μm and 850 μm , and, when suspended in an aqueous solution at a pH of about 7.0, has a net
5 charge density between +20 moles/mole collagen and +250 moles/mole collagen.

8. The collagen delivery matrix of claim 7, wherein each of the particles has a diameter between 15 μm and 600 μm .

10 9. The collagen delivery matrix of claim 7, wherein each of the particles has a net charge density between +50 moles/mole collagen and +200 moles/mole collagen.

15 10. The collagen delivery matrix of claim 9, wherein each of the particles has a net charge density between +100 moles/mole collagen and +160 moles/mole collagen.

11. The collagen delivery matrix of claim 8, wherein each of the particles has a net charge density
20 between +50 moles/mole collagen and +200 moles/mole collagen.

12. The collagen delivery matrix of claim 11, wherein each of the particles has a net charge density between +100 moles/mole collagen and +160 moles/mole
25 collagen.

- 21 -

13. A method of preparing collagen particles for a collagen delivery matrix, which method comprises:

fragmenting a collagen preparation to form particles; and

5 chemically modifying the particles so that each of the particles, when suspended in an aqueous solution at a pH of about 7.0, has a net charge density between -20 moles/mole collagen and -500 moles/mole collagen or between +20 moles/mole collagen and +250 moles/mole
10 collagen.

14. The method of claim 13, further comprising, either before or after the modifying step, selecting particles which have diameters between 5 μm and 850 μm .

15 15. The method of claim 14, wherein particles with diameters between 15 μm and 600 μm are selected.

16. A method of using collagen particles comprising mixing the collagen particles, a bioactive agent, and an aqueous solution to form a paste-like material, wherein each of the particles has a diameter
20 between 5 μm and 850 μm , and, when suspended in an aqueous solution at a pH of about 7.0, has a net charge density between -20 moles/mole collagen and -500 moles/mole collagen or between +20 moles/mole collagen and +250 moles/mole collagen.

25 17. The method of claim 16, wherein each of the particles has a diameter between 15 μm and 600 μm .

18. The method of claim 17, further comprising delivering the paste-like material to a subject to be treated with the bioactive agent.

- 22 -

19. The method of claim 18, wherein the delivering step is effected with a syringe.

20. The method of claim 18, wherein the delivering step is effected with a cannula.

5 21. The method of claim 18, wherein the delivering step is effected with a catheter.

22. The method of claim 18, wherein the delivering step is effected by surgical implantation.

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US96/07248**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(6) :A61K 38/00, 38/17, 9/14; A61F 13/00

US CL :514/21, 801; 530/356; 424/422, 423, 484, 491

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 514/21, 801; 530/356; 424/422, 423, 484, 491

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

Please See Extra Sheet.

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US, A, 4,657,548 (NICHOLS) 14 April 1987, column 3-6 and claims 3-7 and 12.	1-22
Y	US, A, 5,196,185 (SILVER ET AL) 23 March 1993, abstract and claims 1 and 6.	1-22
Y	Arkiv For Kemi, Volume 17, No. 55, issued 08 February 1961, K.H. Gustavson, "Some Reactions of Succinylated Collagen", pages 541-550, especially page 542.	13-15
Y	Biochemistry Journal, Volume 54, issued 1953, Green et al, "Acetylation of Collagen", pages 181-187, especially page 182.	13-15
A	US, A, 5,206,028 (LI) 27 April 1993, column 1, lines 7-14.	1-22

☒ Further documents are listed in the continuation of Box C.
 ☐ See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
E earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*Z* document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means	
P document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

04 AUGUST 1996

Date of mailing of the international search report

19 AUG 1996

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

ABDEL A. MOHAMED

Telephone No. (703) 308-0196

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US96/07248

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A,P	US, A, 5,460,962 (KEMP) 24 October 1995, column 1, lines 5-14.	1-22
A,E	US, A, 5,532,217 (SILVER ET AL) 02 July 1996, column 2, lines 14-25, claims 5 and 10.	1-22

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US96/07248

B. FIELDS SEARCHED

Electronic data bases consulted (Name of data base and where practicable terms used):

APS, CAS ONLINE, MEDLINE, DERWENT, EMBASE, BIOSIS, LIFESCIENCE

Search Terms: collagen, delivery matrix, particl?, diameter, micrometer, chemical modificat? or acetylal? or deamid?
or succinylal? or deguanidat? or methylal? cannula, surgical implant? and catheter.